

Fast group type analysis of gasoline and gasoline blend streams
using multi-dimensional gas chromatography


www.paclp.com

Reformulyzer[®] M4



ac[®]
ANALYTICAL CONTROLS
by **PAC**


State-of-the-art Solution for Hydrocarbon Group Type Analysis meeting Today's Industry Needs

- Robust and Intelligent Design contributes to Maximum Instrument Uptime
 - Increases Profits with Fast and Accurate Analysis
- In Compliance with Worldwide Leading Standards - EN ISO 22854, ASTM D6839

Reformulyzer® M4

STATE-OF-THE-ART SOLUTION FOR GASOLINE GROUP TYPE ANALYSIS IN 39 MINUTES

The Reformulyzer® M4 is the most significant advancement in full group type analysis of gasoline and gasoline blend streams using multi-dimensional gas chromatography. It is the fastest and most flexible analyzer on the market to combine analysis for Paraffins, Olefins, Naphthenes, Oxygenates, and Aromatics in one instrument. The Reformulyzer is the only solution that truly meets today's challenges in terms of time-savings, flexibility, and product value optimization.



✓ **EXCELLENT PERFORMANCE FOR HIGH RETURN ON INVESTMENT**

✓ **IMPROVED EASE OF USE AND MORE FLEXIBILITY**

✓ **MAXIMUM INSTRUMENT UPTIME**

✓ **PROVEN COMPLIANCY**

ROI STUDY

INCREASE REVENUE

The Reformulyzer M4's short analysis time allows to run up to 100% more samples per day and it enables labs to comply to the significant in-tank and in-ship blending time constraints related to key-point analysis.

CASESTUDY - Assumptions:

- 100% system utilization: ~36 samples per day
- Revenue per sample is 200 USD
- 2 QC samples per day


REDUCE OPERATIONAL COST

The Reformulyzer M4's advanced technology significantly reduces maintenance and system down-time. In combination with the improved sample capacity the total operational cost per sample is reduced with 50%.

CASESTUDY - Assumptions:

- 90% system utilization: ~32 samples per day
- Operational cost: spares, consumables, service visits, technician cost, cost on down-time

Fast Analysis increases Revenue with ~90%
Upto 100% increase of daily sample capacity leads to significantly higher revenue potential



Robust design reduces Operational Cost per Sample with ~50%
Advanced technology reduces cost on maintenance



EXCELLENT PERFORMANCE FOR HIGH RETURN ON INVESTMENT

Increases Profits with Fast and Accurate Analysis

- Analysis results in 39 minutes for fast decision-making on product specification
- Robust design reduces operational cost per sample
- Excellent precision and accuracy contribute to higher profitability
- Extensive analysis scope from one single instrument

MAXIMUM INSTRUMENT UPTIME

Robust and Intelligent Design contributes to Maximum Instrument Availability

- Excellent olefin trap robustness for superior trap lifetime
- Nitrogen carrier saves cost and avoids helium supply chain risks
- Diagnostic Tool™ and certified AC quality control samples for system performance verification

IMPROVED EASE OF USE AND MORE FLEXIBILITY

Meets Today's Industry Needs

- Standard olefin method covers entire concentration upto 75%
- User-friendly design allows easy preventive maintenance by operator
- Intuitive Reformulyzer software includes extensive range of methods and pre-programmed modes
- Unique Reformulyzer User Group with interlaboratory comparison contributes to high confidence level and a strong QC program

PROVEN COMPLIANCY

M4 is the worldwide leading standard EN ISO 22854 & ASTM D6839

- Fully compliant with leading standard test methods ASTM D6839, EN ISO 22854, ASTM D5443, IP 566, SH/T 0741, GB/T 28768-2012
- EN 228 includes the EN ISO 22854 (Multidimensional GC, Reformulyzer) as Referee Method for Hydrocarbon content (Olefins & Aromatics), Benzene, Oxygenates and Oxygen content. Reformulyzer replaced EN15553 (FIA) for Hydrocarbon content and EN1601 for Oxygenates

MEETING TODAY'S CHALLENGES

MORE TIME-SAVINGS

- M4 is capillary/micropacked, M3 is partially packed
- M4 is 2x faster in every mode (Winterspec/Gasoline mode is 39 minutes for M4, M3 is 75 minutes)

EASIER TO USE



- M4 has dedicated modes to report the same components sets as ASTM D4815, D5580 and D3606
- M4: easy accessible integrated modular electronics, M3: ACI
- M4 has no needle valves and less connections than M3

IMPROVED PERFORMANCE

- M4 has Split inlet, M3 has TPI
- M4 has next generation trap technology with integrated heating
- M4 Olefin Trap Lifetime is significantly improved
- M4 has an extended range for various component groups and can analyze olefins up to 75%. M3 has separate modes for high olefins in combination with dilution
- M4 has new E85 mode, OPIONA and Fast group Type modes

COST-SAVINGS

- M4 has Nitrogen carrier, M3 uses Helium





solidpartners provensolutions

U.S.A.
PAC, LP | 8824 Fallbrook Drive | Houston, Texas 77064
T: +1 800.444.TEST | O: +1 281.940.1803 | F: +1 281.580.0719
sales.usa@pacpl.com | service.usa@pacpl.com

FRANCE
BP 70285 | Verson | 14653 CARPIQUET Cedex
T: +33 231 264 300 | F: +33 321 266 293
sales.france@pacpl.com | service.france@pacpl.com

GERMANY
Badstrasse 3-5 | P.O.Box 1241 | D-97912 Lauda-Königshofen,
T: +49 9343 6400 | F: +49 9343 640 101
sales.germany@pacpl.com | service.germany@pacpl.com

SINGAPORE
61 Science Park Road | #03-09/10 The Galen
Singapore Science Park III | Singapore 117525
T: +65 6412 0890 | F: +65 6412 0899
sales.singapore@pacpl.com | service.singapore@pacpl.com

NETHERLANDS
P.O.Box 10.054 | 3004 AB Rotterdam
Innsbruckweg 35 | 3047 AG Rotterdam
T: +31 10 462 4811 | F: +31 10 462 6330
sales.netherlands@pacpl.com | service.netherlands@pacpl.com

RUSSIA
Shabolovka Street | 34, Bldg. 2 | 115419 Moscow
T: +7 495 617 10 86 | F: +7 495 913 97 65
sales.russia@pacpl.com | service.russia@pacpl.com

CHINA
Room 1003, Sunjoy Mansion | No. 6 RiTan Rd.
Chao Yang District | Beijing 100020
T: +86 10 650 72236 | F: +86 10 650 72454
sales.china@pacpl.com | service.china@pacpl.com

INDIA
403, Sentinel, Central Avenue, Hiranandani Gardens
Powai, Mumbai - 400 076 INDIA
T: +91-22-2570 3636
sales.india@pacpl.com | service.india@pacpl.com

MIDDLE EAST
A1 Quds Street, A1 Tawar road | LIU#H13 Dubai Airport Freezone
Near Dubai Airport (terminal 2) | P.O.Box #54781 | Dubai, UAE
T: +971 04 2947 995 | F: +971 04 2395 465
sales.middleeast@pacpl.com | service.middleeast@pacpl.com

SOUTH KOREA
#621 World Vision Building | 24-2, Youido-dong
Seoul 150-010
T: +82 2785 3900 | F: +82 2785 3977
sales.southkorea@pacpl.com | service.southkorea@pacpl.com

THAILAND
26th Floor, M. Thai Tower | All Seasons Place
87 Wireless Road | Lumpini, Phatumwan | Bangkok 10330
T: +66 2627 9410 | F: +662627 9401
sales.thailand@pacpl.com | service.thailand@pacpl.com

PAC Authorized Representatives are also located in most countries worldwide. For more information visit www.pacpl.com

SPECIFICATIONS

Ordering Information										
CCG3500A	Reformulyzer M4 110V									
CCG3500B	Reformulyzer M4 200V									
CCG3500C	Reformulyzer M4 230V									
Standard Methods										
EN ISO 22854, ASTM D6839, ASTM D5443, IP566, SH/T 0741, GB/T 28768-2012										
Analysis Range										
Sample Scope <ul style="list-style-type: none"> Finished gasoline Reformer feed Reformate Straight naphtha FCC naphtha/Olefins Isomerates Alkylate E20+/E85 	Sample Range <ul style="list-style-type: none"> n-Paraffins C4-C11 Isoparaffins C4-C11 Olefins C4-C11 Naphthenes C5-C11 Aromatics C6-C11 Oxygenates C1-C6, includes: <ul style="list-style-type: none"> Methanol Ethanol n-Propanol i-Propanol t-Butanol i-Butanol 2-Butanol tert-amylalcohol MTBE, ETBE, DIPE, TAME 	Concentration Range <ul style="list-style-type: none"> Total Aromatics 0.03 - >95% Benzene 0.01 - 70% Individual Aromatics 0.01 - 70% Total Olefins 0.03 - 75% Ethanol 0.01 - >95% All Ethers 0.01 - 30% All Alcohols (except Ethanol) 0.01 - 20% 								
Typical modes used	PNA	OPNA	PIPNA	PONA	PIONA	PIANO	OPIONA	GASOLINE	FAST GROUP TYPE	E85
Light Straight Run Naphtha	x		x			x				
Heavy Straight Run Naphtha	x		x			x				
Depentanized Bottom Reformate	x		x			x				
FCC Light/Med/Heavy				x	x					
Visbreaker				x	x					
Alkylate / Isomerate			x							
Gasoline Blend							x	x	x	
Gasoline with Oxygenates		x					x	x		
E85, E20+										x
Analysis Time in Minutes	25	30	30	30	55	40	60	39	15	39
PAC IRIS Software										
Users can choose to have the Reformulyzer M4 operate as a stand-alone unit or benefit from using it in a PC-controlled network with PAC IRIS Software. This advanced lab instrument data integration software is designed specifically for PAC instruments to gather and analyze test data and communicate results so customers can make informed decisions. PAC IRIS offers: <ul style="list-style-type: none"> Improved laboratory efficiency Simplified knowledge sharing and decision making Designed to promote Good Laboratory Practices 										
PAC IRIS functionalities for Reformulyzer M4 are:										
<ul style="list-style-type: none"> Run Control Results Management Reporting 	<ul style="list-style-type: none"> Quality Control Diagnostics Method Definition 	<ul style="list-style-type: none"> Run Control Test Start Results Evaluation 	<ul style="list-style-type: none"> Instrument Parameters 							



Copyright 2014/1 PAC L.P. All rights reserved
00.00.009

www.pacpl.com